

10th Class		
Computer Science	Model Paper 2	Paper: II
Time: 15 Minutes	(Objective Type)	Marks: 10

Note: Four possible answers A, B, C and D to each question are given. The choice which you think is correct, fill that circle in front of that question with Marker or Pen ink in the answer-book. Cutting or filling two or more circles will result in zero mark in that question.

- 1-1- _____ is a software that is responsible for the conversion of program files to machine understandable and executable code.
 - (a) Compiler ✓
 - (b) Editor
 - (c) IDE
 - (d) Debugger
- 2- _____ are the values that do not change during the whole execution of program.
 - (a) Variables
 - (b) Constants ✓
 - (c) Strings
 - (d) Comments
- 3- getch() is used to take _____ as input from user.
 - (a) int
 - (b) float
 - (c) char ✓
 - (d) All of them
- 4- The operator % is used to calculate _____.
 - (a) Percentage
 - (b) Remainder ✓
 - (c) Factorial
 - (d) Square
- 5- _____ statements describe the sequence in which statements of the program should be executed.
 - (a) Loop
 - (b) Conditional
 - (c) Control
 - (d) All ✓
- 6- A condition can be any _____ expression.
 - (a) Arithmetic
 - (b) Relational
 - (c) Logical
 - (d) Arithmetic, relational or logical ✓
- 7- _____ is the unique identifier, used to refer to the array.
 - (a) Data Type
 - (b) Array name ✓
 - (c) Array size
 - (d) None

- 8- To initialize the array in a single statement, initialize it ____ declaration.
- (a) At the time of ✓ (b) After
(c) Before (d) Both (a) & (b)
- 9- The functions which are available in C Standard Library are called ____.
- (a) User-defined (b) Built-in ✓
(c) Recursive (d) Repetitive
- 10- ____ means to transfer the control to another function.
- (a) Calling ✓ (b) Defining
(c) Re-writing (d) Including